## IN THE CLAIMS:

- 1. (currently amended) A rechargeable lithium battery including a positive electrode, a negative electrode and a nonaqueous electrolyte, wherein an Li alloying metal is used as active material of at least one of said positive and negative electrodes and said metal active material Li alloying metal is covered with a thin film which is nonreactive with Li ions, permits passage of Li ion but does not have an Li ion conductivity.
- 2. (currently amended) The rechargeable lithium battery of claim 1, wherein said thin film is a hard carbon diamond-like carbon thin film.
- 3. (currently amended) The rechargeable lithium battery of claim 2, wherein said hard carbon diamond-like carbon thin film shows two peaks Id and Ig in the Raman scattering spectrum, around 1400 cm<sup>-1</sup> and 1550 cm<sup>-1</sup>, with a ratio (Id/Ig) in intensity of 0.5 to 3.0.

PATENT APPLN. NO. 09/904,514
RESPONSE UNDER 37 C.F.R. §1.111

PATENT NON-FINAL

- 4. (original) The rechargeable lithium battery of claim

  1, wherein said thin film has a thickness of 50 to 1,000 nm.
- 5. (original) The rechargeable lithium battery of claim 1, wherein said thin film has a volume resistivity of not exceeding  $10^{10}~\Omega$ cm.
- 6. (currently amended) The rechargeable lithium battery of claim 1, wherein an interlayer is provided between said thin film and metal active material Li alloying metal.
- 7. (original) The rechargeable lithium battery of claim 6, wherein said interlayer is formed from at least one selected from Si, Ti, Zr, Ge, Ru, Mo and W and their oxides, nitrides and carbides.
- 8. (currently amended) The rechargeable lithium battery of claim 1, wherein said metal active material Li alloying metal is provided in a film form.

9. (currently amended) The rechargeable lithium battery of claim 8, wherein said thin film is disposed on both sides of said

film form film form metal-active material Li alloying metal.

10. (currently amended) The rechargeable lithium battery of claim 1, wherein said metal active material Li alloying metal is at least one metal selected from Si, Ge, Sn, Al, In and Mg.